

Claims

1 1. A method for routing messages within a network,
2 said method comprising:

3 receiving a message; and

4 routing said message to one or more clients of
5 said network, said routing being based on data content
6 of said message irrespective of any destination
7 information that may be within said message, and being
8 resilient to router or link failure within said
9 network.

1 2. The method of claim 1, wherein said network
2 comprises a publish/subscribe system supporting content-
3 based subscription, said one or more clients comprise
4 subscribers, and wherein said routing comprises delivering
5 said message to all subscribers requesting a uniform
6 delivery quality of service or if unable to deliver said
7 message to all of said subscribers requesting uniform
8 delivery, delivering said message to none of said
9 subscribers requesting uniform delivery.

1 3. The method of claim 2, wherein said delivering
2 said message to all subscribers requesting uniform delivery
3 comprises delivering said message to all subscribers
4 requesting uniform delivery notwithstanding failure at one
5 or more routers or links of said network, said delivering
6 comprising storing said message to persistent storage at a
7 logging node of said network prior to providing said message
8 to said subscribers requesting uniform delivery.

1 12. The method of claim 10, wherein said automatically
2 generating said request for retransmission of said message
3 occurs if said new router detects from one or more of its
4 child routers a logging number associated with said message,
5 said logging number having been received in said logging
6 acknowledgment confirming storage of said message.

C
1 ~~Sub 13~~ 13. The method of claim 1, wherein said routing
2 further comprises determining within said network whether
3 said message comprises a duplicate message to said one or
4 more clients of said network, and if so, aborting said
5 duplicate message such that said message is delivered to
6 said one or more clients at most once.

Sub 14
1 14. The method of claim 1, further comprising
2 automatically informing a sender of said message when the
3 message has been lost within the network to allow the sender
4 to retransmit said message for routing to said one or more
5 clients of said network so that said message is delivered at
6 least once to said one or more clients.

1 16. A method for routing messages within a routing
2 network, said method comprising:

3 receiving a message;

4 logging the message to persistent storage within
5 the routing network; and

6 after said logging, delivering said message to one
7 or more clients of said network, wherein said logging
8 to persistent storage prior to delivery of said message
9 to said one or more clients of said network provides
10 resiliency to said routing notwithstanding router or
11 link failure within said network.

1 17. The method of claim 16, wherein said logging
2 comprises storing said message in said persistent storage at
3 a logging node within said routing network before said
4 delivery of said message to said one or more clients of said
5 network.

1 18. The method of claim 17, further comprising sending
2 a logging acknowledgment to at least one router of said
3 network routing said message after said logging of said
4 message to said persistent storage, and upon receipt of said
5 logging acknowledgment at said at least one router of said
6 network routing said message, delivering said message to a
7 client thereof, said client thereof requiring uniform
8 delivery and comprising one client of said one or more
9 clients.

1 19. The method of claim 16, wherein said network
2 comprises a spanning tree and wherein said method further
3 comprises providing a logging node within said spanning tree
4 for said logging of said message to persistent storage
5 during routing of said message to said one or more clients
6 of said network.

1 20. The method of claim 19, wherein said routing
2 comprises employing said logging of said message to
3 persistent storage to ensure a uniform delivery quality of
4 service of said message to said one or more clients of said
5 network notwithstanding failure of one or more routers or
6 links within said network.

1 21. The method of claim 16, wherein said routing
2 network comprises a spanning tree having a plurality of
3 routers, said method further comprising detecting failure of
4 a router within said tree before completing routing of said
5 message to said one or more clients of said network,
6 thereafter reconfiguring said tree to replace said failed
7 router with a new router, and automatically generating a
8 request for retransmission of said message from said
9 persistent storage.

1 22. The method of claim 16, further comprising
2 determining within said routing network whether said message
3 comprises a duplicate message to said one or more clients of
4 said network, and if so, aborting said duplicate message
5 such that said message is delivered to said one or more
6 clients at most once.

2
3
4
5
6

1. The first of these is the fact that the
 2.
 3.
 4.
 5.
 6.
 7.
 8.
 9.
 10.
 11.
 12.
 13.
 14.
 15.
 16.
 17.
 18.
 19.
 20.
 21.
 22.
 23.
 24.
 25.
 26.
 27.
 28.
 29.
 30.
 31.
 32.
 33.
 34.
 35.
 36.
 37.
 38.
 39.
 40.
 41.
 42.
 43.
 44.
 45.
 46.
 47.
 48.
 49.
 50.
 51.
 52.
 53.
 54.
 55.
 56.
 57.
 58.
 59.
 60.
 61.
 62.
 63.
 64.
 65.
 66.
 67.
 68.
 69.
 70.
 71.
 72.
 73.
 74.
 75.
 76.
 77.
 78.
 79.
 80.
 81.
 82.
 83.
 84.
 85.
 86.
 87.
 88.
 89.
 90.
 91.
 92.
 93.
 94.
 95.
 96.
 97.
 98.
 99.
 100.
 101.
 102.
 103.
 104.
 105.
 106.
 107.
 108.
 109.
 110.
 111.
 112.
 113.
 114.
 115.
 116.
 117.
 118.
 119.
 120.
 121.
 122.
 123.
 124.
 125.
 126.
 127.
 128.
 129.
 130.
 131.
 132.
 133.
 134.
 135.
 136.
 137.
 138.
 139.
 140.
 141.
 142.
 143.
 144.
 145.
 146.
 147.
 148.
 149.
 150.
 151.
 152.
 153.
 154.
 155.
 156.
 157.
 158.
 159.
 160.
 161.
 162.
 163.
 164.
 165.
 166.
 167.
 168.
 169.
 170.
 171.
 172.
 173.
 174.
 175.
 176.
 177.
 178.
 179.
 180.
 181.
 182.
 183.
 184.
 185.
 186.
 187.
 188.
 189.
 190.
 191.
 192.
 193.
 194.
 195.
 196.
 197.
 198.
 199.
 200.
 201.
 202.
 203.
 204.
 205.
 206.
 207.
 208.
 209.
 210.
 211.
 212.
 213.
 214.
 215.
 216.
 217.
 218.
 219.
 220.
 221.
 222.
 223.
 224.
 225.
 226.
 227.
 228.
 229.
 230.
 231.
 232.
 233.
 234.
 235.
 236.
 237.
 238.
 239.
 240.
 241.
 242.
 243.
 244.
 245.
 246.
 247.
 248.
 249.
 250.
 251.
 252.
 253.
 254.
 255.
 256.
 257.
 258.
 259.
 260.
 261.
 262.
 263.
 264.
 265.
 266.
 267.
 268.
 269.
 270.
 271.
 272.
 273.
 274.
 275.
 276.
 277.
 278.
 279.
 280.
 281.
 282.
 283.
 284.
 285.
 286.
 287.
 288.
 289.
 290.
 291.
 292.
 293.
 294.
 295.
 296.
 297.
 298.
 299.
 300.
 301.
 302.
 303.
 304.
 305.
 306.
 307.
 308.
 309.
 310.
 311.
 312.
 313.
 314.
 315.
 316.
 317.
 318.
 319.
 320.
 321.
 322.
 323.
 324.
 325.
 326.
 327.
 328.
 329.
 330.
 331.
 332.
 333.
 334.
 335.
 336.
 337.
 338.
 339.
 340.
 341.
 342.
 343.
 344.
 345.
 346.
 347.
 348.
 349.
 350.
 351.
 352.
 353.
 354.
 355.
 356.
 357.
 358.
 359.
 360.
 361.
 362.
 363.
 364.
 365.
 366.
 367.
 368.
 369.
 370.
 371.
 372.
 373.
 374.
 375.
 376.
 377.
 378.
 379.
 380.
 381.
 382.
 383.
 384.
 385.
 386.
 387.
 388.
 389.
 390.
 391.
 392.
 393.
 394.
 395.
 396.
 397.
 398.
 399.
 400.
 401.
 402.
 403.
 404.
 405.
 406.
 407.
 408.
 409.
 410.
 411.
 412.
 413.
 414.
 415.
 416.
 417.
 418.
 419.
 420.
 421.
 422.
 423.
 424.
 425.
 426.
 427.
 428.
 429.
 430.
 431.
 432.
 433.
 434.
 435.
 436.
 437.
 438.
 439.
 440.
 441.
 442.
 443.
 444.
 445.
 446.
 447.
 448.
 449.
 450.
 451.
 452.
 453.
 454.
 455.
 456.
 457.
 458.
 459.
 460.
 461.
 462.
 463.
 464.
 465.
 466.
 467.
 468.
 469.
 470.
 471.
 472.
 473.
 474.
 475.
 476.
 477.
 478.
 479.
 480.
 481.
 482.
 483.
 484.
 485.
 486.
 487.
 488.
 489.
 490.
 491.
 492.
 493.
 494.
 495.
 496.
 497.
 498.
 499.
 500.
 501.
 502.
 503.
 504.
 505.
 506.
 507.
 508.
 509.
 510.
 511.
 512.
 513.
 514.
 515.
 516.
 517.
 518.
 519.
 520.
 521.
 522.
 523.
 524.
 525.
 526.
 527.
 528.
 529.
 530.
 531.
 532.
 533.
 534.
 535.
 536.
 537.
 538.
 539.
 540.
 541.
 542.
 543.
 544.
 545.
 546.
 547.
 548.
 549.
 550.
 551.
 552.
 553.
 554.
 555.
 556.
 557.
 558.
 559.
 560.
 561.
 562.
 563.
 564.
 565.
 566.
 567.
 568.
 569.
 570.
 571.
 572.
 573.
 574.
 575.
 576.
 577.
 578.
 579.
 580.
 581.
 582.
 583.
 584.
 585.
 586.
 587.
 588.
 589.
 590.
 591.
 592.
 593.
 594.
 595.
 596.
 597.
 598.
 599.

1 24. A system of routing messages within a network,
2 said system comprising:

3 means for receiving a message; and

4 means for routing said message to one or more
5 clients of said network, said routing being based on
6 data content of said message irrespective of any
7 destination information that may be within said
8 message, and wherein said means for routing is
9 resilient to router or link failure within said
10 network.

1 25. The system of claim 24, wherein said network
2 comprises a publish/subscribe system supporting content-
3 based subscription, and wherein said one or more clients
4 comprise subscribers, with said message being received from
5 a publisher.

1 26. The system of claim 25, wherein said means for
2 routing comprises means for delivering said message to all
3 subscribers requesting a uniform delivery quality of service
4 or if unable to deliver said message to all of said
5 subscribers requesting uniform delivery, for delivering said
6 message to none of said subscribers requesting uniform
7 delivery.

1 27. The system of claim 26, wherein said means for
2 routing delivers said message to said subscribers requesting
3 uniform deliver notwithstanding failure at one or more
4 routers or links of said network, and wherein said system
5 further comprises means for logging said message to
6 persistent storage prior to delivery thereof to said
7 subscribers requesting uniform delivery.

1 ^{Sub}32. The system of claim 24, wherein said network
2 comprises a spanning tree and wherein said system further
3 comprises a logger node within said spanning tree for
4 logging said message to persistent storage during routing of
5 said message to said one or more clients of said network.

1 33. The system of claim 24, wherein said means for
2 routing comprises means for employing said logger node to
3 log said message to persistent storage to ensure a uniform
4 delivery quality of service of said message to said one or
5 more clients of said network notwithstanding failure of one
6 or more routers or links within said network.

1 34. The system of claim 24, wherein said network
2 comprises a spanning tree having a plurality of routers, and
3 further comprising means for detecting failure of a router
4 within said tree before completing routing of said message
5 to said one or more clients of said network, and means for
6 reconfiguring said tree to replace said failed router with a
7 new router, and means for automatically generating a request
8 for retransmission of said message.

1 35. The system of claim 34, further comprising means
2 for logging said message within persistent storage of said
3 network and for issuing a logging acknowledgment confirming
4 storage of said message to at least one router of said tree
5 through which said message is routed to said one or more
6 clients.

1 36. The system of claim 35, wherein said means for
2 automatically generating a request for retransmission of
3 said message comprises means for detecting a logging number
4 associated with said message stored at one or more child
5 routers of said new router.

1 ~~37. The system of claim 24, wherein said means for~~
2 ~~routing further comprises means for determining within said~~
3 ~~network whether said message comprises a duplicate message~~
4 ~~to said one or more clients of said network, and if so, for~~
5 ~~aborting said duplicate message such that said message is~~
6 ~~delivered to said one or more clients at most once.~~

1 38. The system of claim 24, further comprising means
2 for automatically informing a sender of said message when
3 said message has been lost within said network to allow the
4 sender to retransmit said message for routing to said one or
5 more clients of said network so that said message is
6 delivered at least once to said one or more clients.

1 39. A system of routing messages within a routing
2 network, said system comprising:

3 means for receiving a message;

4 means for logging the message to persistent
5 storage within the routing network; and

6 means for delivering said message to one or more
7 clients of said network after said logging of said
8 message to persistent storage, wherein said logging to
9 persistent storage prior to delivery of said message to
10 said one or more clients of said network provides
11 resiliency to said routing notwithstanding router or
12 link failure within said network.

1 40. The system of claim 39, wherein said means for
2 logging comprises means for storing said message in said
3 persistent storage at a logging node within said routing
4 network before said delivery of said message to said one or
5 more clients of said network.

1 41. The system of claim 40, further comprising means
2 for sending a logging acknowledgment to at least one router
3 of said network routing said message after said logging of
4 said message to said persistent storage, and means for
5 thereafter delivering said message to a client of said at
6 least one router of said network routing said message, said
7 client requiring uniform delivery and comprising one client
8 of said one or more clients.

1 42. The system of claim 39, wherein said routing
2 network comprises a spanning tree, and said means for
3 logging comprises a logging node within said spanning tree
4 for logging said message to persistent storage during
5 routing of said message to said one or more clients of said
6 network.

1 43. The system of claim 42, wherein said means for
2 routing comprises means for employing said logging of said
3 message to persistent storage to ensure a uniform delivery
4 quality of service of said message to said one or more
5 clients of said network notwithstanding failure of one or
6 more routers or links within said network.

1 44. The system of claim 39, wherein said routing
2 network comprises a spanning tree having a plurality of
3 routers, and wherein said system further comprises means for
4 detecting failure of a router within said tree before
5 completing routing of said message to said one or more
6 clients of said network, and for thereafter configuring said
7 tree to replace said failed router with a new router, and
8 for automatically generating a request for retransmission of
9 said message from said persistent storage.

1 45. The system of claim 39, further comprising means
2 for determining within said routing network whether said
3 message comprises a duplicate message to said one or more
4 clients of said network, and if so, for aborting said
5 duplicate message such that said message is delivered to
6 said one or more clients at most once.

Sub a6

1960	1961	1962	1963	1964	1965	1966	1967	1968	1969	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100	2101	2102	2103	2104	2105	2106	2107	2108	2109	2110	2111	2112	2113	2114	2115	2116	2117	2118	2119	2120	2121	2122	2123	2124	2125	2126	2127	2128	2129	2130	2131	2132	2133	2134	2135	2136	2137	2138	2139	2140	2141	2142	2143	2144	2145	2146	2147	2148	2149	2150	2151	2152	2153	2154	2155	2156	2157	2158	2159	2160	2161	2162	2163	2164	2165	2166	2167	2168	2169	2170	2171	2172	2173	2174	2175	2176	2177	2178	2179	2180	2181	2182	2183	2184	2185	2186	2187	2188	2189	2190	2191	2192	2193	2194	2195	2196	2197	2198	2199	2200	2201	2202	2203	2204	2205	2206	2207	2208	2209	2210	2211	2212	2213	2214	2215	2216	2217	2218	2219	2220	2221	2222	2223	2224	2225	2226	2227	2228	2229	2230	2231	2232	2233	2234	2235	2236	2237	2238	2239	2240	2241	2242	2243	2244	2245	2246	2247	2248	2249	2250	2251	2252	2253	2254	2255	2256	2257	2258	2259	2260	2261	2262	2263	2264	2265	2266	2267	2268	2269	2270	2271	2272	2273	2274	2275	2276	2277	2278	2279	2280	2281	2282	2283	2284	2285	2286	2287	2288	2289	2290	2291	2292	2293	2294	2295	2296	2297	2298	2299	2300	2301	2302	2303	2304	2305	2306	2307	2308	2309	2310	2311	2312	2313	2314	2315	2316	2317	2318	2319	2320	2321	2322	2323	2324	2325	2326	2327	2328	2329	2330	2331	2332	2333	2334	2335	2336	2337	2338	2339	2340	2341	2342	2343	2344	2345	2346	2347	2348	2349	2350	2351	2352	2353	2354	2355	2356	2357	2358	2359	2360	2361	2362	2363	2364	2365	2366	2367	2368</
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	--------

66220-0347260

1 50. An article of manufacture, comprising:

2 at least one computer usable medium having
3 computer readable program code means embodied therein
4 for effecting routing of messages within a routing
5 network, the computer readable program code means in
6 the article of manufacture comprising:

7 computer readable program code means for
8 causing a computer to effect receiving a message;

9 computer readable program code means for
10 causing a computer to effect logging said message
11 to persistent storage within the routing network;
12 and

13 computer readable program code means for
14 causing a computer to effect delivering said
15 message to one or more clients of said network
16 after said logging thereof, wherein said logging
17 to persistent storage prior to delivery of said
18 message to one or more clients of said network
19 provides resiliency to said routing
20 notwithstanding router or link failure within said
21 network.

* * * * *

Add B3